

INDIAN INSTITUTE OF MANAGEMENT CALCUTTA

Engineering Division

±XvF ZÀ €p @ 40468441 5 G 1UWZPQYIC 5220 Q ,QVWLWXWH RI 0DQD
35HQRYPDWLRQ RI H[WHUQDO VXUIDFH RUI D CH ZG 4 FDLVQHO L
:HVW %HQJDO

7KH WZR ELG VIVWHP RI WHQG HU VSDUOV FRQVHUVSRIQ7CFXCRVUFRPHUHG LZD
ZRUGV 37HFKQR FRPDJ B D OFB DWG' SHQVH O BSHG, ZLWKK WKH ZRUGV 3ULF
HQQHORSHV VKDOO EH NHSW LQ WKLWK GHHZRUHG RSH GXO\ VXSHUVFULEHG Z
H[HFXWLRQ RI ZRUN FRQYHQLHQ

\$\$DUW IURP DERYH DQ\ RWKHU
LQFOXGHG LQ WKH VFRSH RI ZRU

7KH GHWDLOHG VFRSH RI ZRUN L
7LPH VFKHGXOH RI WHQGH

< 'DWH 7LPH IRU VXEPLVVLRQ RI 7HQSHWR' KEXPHQWV
<< 'DWH 7LPH RRLSHGKQ LFDO %LW2QUV
<<< 'DWH 7LPH RI 2SHQLQJ RI &RPPHUF LDO %LGH 7 RD GHI\ & QP
WHQG GHUHU ODWHU E\ QRWLFH

&RQUWDFWRUV ZKR IXOILO WKH IROORZLQJ HEOLWLFH O K DVOR ISIDUWLFH & DWHP
D %LGGHU VKRXOG KDYH VXFFHHVVISODWHFR PSXUHVH GO DAWE VWDQYH D CHDUFR
VXEPLVVLRQ RI WKH ELG WKH IROORZLQJ 3VLPLODU ZRUNV'

7KUH H VLPLODU ZRUNS HDFK RI FRVWLQJ PLQLPX

INDIAN INSTITUTE OF MANAGEMENT CALCUTTA

Engineering Division

, %LGGHUV FDQQRW VXEPLW WKH WHQGHG DXWPHUVWIKRQG XHPGIDVHLDQGLW
3XEOLF 3URFXUHPH GUBR QMHSURRFXWSDYSU 6\VWHP &ORFN 7LPH' VKD
ELQGLQJ RQ WKH ELGGHU H(%LGVGGUHVHRQIUHQVSRILEMVKXE RIGWVQIGVE
QRW WKH WLPD DV SHU WKHLU ORFDWLRQ FRXQWU\
- 7KH ELGGHUV DUH DGYLVHG WR VXIE FELVW GKHLC DHW BLG V0 Z&S0 08 E7\$ RVKH
UHVSRQVLEOH IRU DQ\ GHOD\ LQ Q XLEPFO/XG RQJ RMHU(YH LG VD QGU VDKF KULDFVDR
. 7KH 7HFKQLFDO DQG)LQDQFLDO %L\$XWKDQDQJ EIG GLJQDWRQ\ RILJQKIG ELDG
OLQH' RQO\ 7KH DXWKRULJHG VL RQVWRVLRQ WIK BIREHGGRIU \$XWVWU QH\LEH
GLJLWDOO\ VLJQHG ELG 6FDQQHGHFSRSHLSIDURHIGYDQLB&VIGDFIXIRHUPDWFDQ
/ \$Q\ WHQGDU UHFHLYHG ZLWKRXW RREXIPHQDQV (DHHQHQVW&RQIRU D QG/ 7HSHF
QRW EH DFFHSWHG FRQVLGHUHG DQG VKDOO EH VXPPDULO\ UHMHFWHG
0€P,0 &\$/&877\$€0 2"VSVU% € Ep S